

B3-16-00

PTO/SB/05 (1/98)

Approved for use through 9/30/00, OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Please type a plus sign (+) inside this box ☐

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY
PATENT APPLICATION
TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 660005.98641

First Inventor or Application Identifier Alfonso Navarro

Title METHOD OF AERATING YEAST PRIOR TO PITCHING

Express Mail Label No. EL418099409US

APPLICATION ELEMENTS

See MPEP Chapter 600 concerning utility patent application contents

ADDRESS TO:

Assistant Commissioner for Patents
Box Patent Application
Washington, D.C. 20231

- 1 ☒ Fee transmittal Form
(Submit an original and a duplicate for fee processing)
- 2 ☒ Specification [Total Pages 22]
(preferred arrangement set forth below)
- Descriptive title of the invention
 - Cross References to Related Applications
 - Statement Regarding Fed Sponsored R&D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
- 3 ☐ Drawing(s) (35 USC 113) [Total Sheets ☐

4. Oath or Declaration [Total Pages 3]

a. ☒ Unsigned (original or copy)

b. ☐ Copy from prior Application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
(Note Box 5 below)

i. ☐ DELETION OF INVENTOR(S)
Signed Statement attached deleting
inventor(s) named in prior application,
see 37 CFR 1.63(d)(2) and 1.53(b).

5 ☐ Incorporation By Reference (useable if Box 4b is checked)
The entire disclosure of the prior application from
which a copy of the oath or declaration is supplied
under Box 4b, is considered as being part of the
disclosure of the accompanying application and is
hereby incorporated by reference herein.

- 6 ☐ Microfiche Computer Program (Appendix)
7. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
- a. ☐ Computer readable Copy
- b. ☐ Paper Copy (identical to computer copy)
- c. ☐ Statement Verifying identity of above

ACCOMPANYING APPLICATION PARTS

- 8 ☐ Assignment Papers (cover sheet & documents)
- 9 ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney
(where there is an assignee)
- 10 ☐ English Translation Document (if applicable)
- 11 ☒ Information Disclosure ☒ Copies of IDS
Statement (IDS)/PTO-1449 Citations
- 12 ☐ Preliminary Amendment
- 13 ☐ Return receipt postcard (MPEP 503)
(Should be specifically itemized)
- 14 ☐ *Small Entry Statement(s) ☐ Statement filed in prior application
Statement(s) Status still proper and desired
- 15 ☐ Certified copy of priority Document(s)
(if foreign priority is claimed)
- 16 ☐ Other:
- * A new statement is required to pay small entity fees, except where
one has been filed in a prior application and is being relied upon.

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

- ☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application no. 1
- Prior application information: Examiner: _____ Group/Art Unit: _____

18. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label

(Insert Customer No. or Attach bar code label)

or ☒ Correspondence address below

NAME David G. Ryser

ADDRESS Quarles & Brady LLP
411 East Wisconsin Avenue

CITY Milwaukee STATE Wisconsin ZIP CODE 53202-4497

COUNTRY USA TELEPHONE (414) 277-5717 FAX (414) 271-3552

Name (Print/Type) David G. Ryser Registration No. (Attorney/Agent) 35,433

Signature *David G. Ryser* Date March 15, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on
the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231
DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

METHOD OF AERATING YEAST PRIOR TO PITCHING

CROSS-REFERENCE TO RELATED APPLICATIONS

Not applicable.

STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH
OR DEVELOPMENT

5 Not applicable.

BACKGROUND OF THE INVENTION

Brewer's yeast is used as a biocatalyst to ferment carbohydrates to ethanol in the production of beer and other fermented beverages. In brewing, fermentation is performed by mixing brewer's yeast with wort and incubating the mixture under conditions suitable for fermentation. Wort includes a source of carbohydrates prepared by hot water enzymatic conversion of complex sugars to fermentable sugars in malted grain and adjunct grains. After extraction the wort is boiled to complete extraction, stop enzymatic reactions, and to boil off undesirable compounds. Following boiling the wort is cooled and brewer's yeast is added.

During the brewing process, measuring the specific gravity over time monitors fermentation. The specific gravity declines over the course of fermentation due to a decrease in fermentable carbohydrates and an increase in ethanol concentration. What constitutes an acceptable

final specific gravity depends on the type of beer being brewed.

Q An unacceptably high specific gravity may be caused by a variety of factors, including insufficient aeration of the wort, low concentration of yeast in the inoculum, poor yeast growth due to insufficient nutrients, unsuitably high or low fermentation temperatures, excessive yeast growth, and the like. Some fermentation processes are characterized by a low initial fermentation rate (caused by poor initial yeast growth or inadequate inoculum) and an increase in fermentation over time.

Q Within the brewing industry, there is considerable interest in increasing the rate of fermentation. Increased fermentation rates not only reduce fermentation time, but also reduce the incidence of brewing failures due to contamination by microorganisms, which may result in an unacceptably poor quality product.

Q Fermentation may be enhanced by a variety of known means. For example, U.S. patents 899,756; 1,041,298; and 2,121,458 teach that aeration of the wort/yeast solution can assist in the growth of yeast to promote fermentation. Belgium Patent 1010885A3 teaches that the aeration of the wort/yeast suspension may be achieved by using a porous membrane. However, it is believed that aerating the wort/yeast solution may contribute to the production of staling precursors (Uchida, et al., J. Am.

Soc. Brew. Chem. 58(1):30-37 (2000)). Another approach to enhancing fermentation is by adding zinc to the yeast/wort solution as disclosed in U.S. patents 3,164,472 and 4,840,802.

5 Another way in which the fermentation rate may be increased is by increasing the pitching rate. Adequate pitching reduces lag time and reduces the likelihood that a bacterial contaminant will become established. The pitching rate may be increased by increasing the number
10 of yeast cells added to the wort, or by using a yeast starter culture.

A starter culture may be made by first inoculating a smaller volume of wort with an active yeast followed by vigorous aeration/agitation which allows for the
15 concentration of active yeast cells to increase before pitching the starter culture into a larger volume of wort.

Commonly, wort is pitched with yeast derived from a previous fermentation. Generally, this yeast has
20 experienced anaerobic conditions during fermentation. Before fermentation can occur, the yeast which is harvested from the anaerobic beer environment and is used to pitch the wort must be supplied oxygen in order to synthesize essential lipid components, including sterols
25 and unsaturated fatty acids. Synthesis of these lipids

requires molecular oxygen and a carbohydrate source, such as glycogen, stored in the yeast cells.

A conventional approach to insuring sufficient oxygen for yeast to synthesize lipids has been to
5 oxygenate the wort. However, the level of oxygen in the wort must be controlled to avoid slow fermentation and subsequent flavor changes caused by sub-optimal concentrations of oxygen, and reduced ethanol yields and flavor changes that result from excessive yeast growth
10 and metabolic changes caused by high levels of oxygen.

Another approach to enhancing fermentation rates is to pitch wort containing no oxygen or reduced oxygen with a starter culture of yeast prepared by allowing yeast to grow with exposure to oxygen in a smaller volume of wort
15 for several hours. This method allows control of fermentation by controlling the pitching rate.

UK Patent Application GB 2 197 341 discloses a method of fermenting wort in which the pitching yeast is first suspended in water and exposed to oxygen for a
20 period of time until the yeast reaches its maximum rate of oxygen consumption. The yeast is then used to pitch oxygen-free wort.

There remains a need in the art for improved methods of enhancing fermentation.

BRIEF SUMMARY OF THE INVENTION

The present invention includes a method of aerating yeast for use in fermentation comprising the steps of:

- (a) suspending yeast in an aqueous solution
- 5 comprising a fermentable sugar in a concentration sufficient to give gravity in the range of from about 2 to about 25 degrees Plato and zinc in a concentration effective to promote yeast health and performance in subsequent fermentation; and
- 10 (b) aerating the suspension for a period of time and under conditions suitable to allow sterol and unsaturated fatty acid biosynthesis.

Another aspect of the invention is a method of fermenting a fermentable medium comprising the steps of:

- 15 (a) suspending yeast in an aqueous solution comprising a fermentable sugar in a concentration sufficient to give gravity in the range of from about 2 to about 25 degrees Plato and zinc in a concentration effective to promote yeast health and performance in
- 20 subsequent fermentation;
- (b) aerating the suspension for a period of time and under conditions suitable to allow sterol and unsaturated fatty acid biosynthesis;
- (c) transferring the yeast of step (b) to a
- 25 suitable volume of fermentation medium having a gravity

comparable to the gravity of the solution of step (a);
and

(d) allowing fermentation to occur under suitable
fermentation conditions.

5 A still further aspect of the invention provides for
a fermented beverage, such as beer, and a fermented food,
such as kefir, made by using a yeast that has been
treated according to the foregoing methods.

10 It is an object of the present invention to provide
an improved method for aerating yeast.

It is an advantage of the invention that nonaerated
wort may be used as the fermentation medium, which may
reduce formation of staling precursors associated with
the use of aerated wort during fermentation.

15 DETAILED DESCRIPTION OF THE INVENTION

The present invention provides an economical and
convenient method of aerating yeast prior to pitching.
Aerating yeast prior to pitching allows the yeast cells
to obtain sufficient oxygen to synthesize sterols and
20 unsaturated fatty acids, which are needed for cell growth
during the fermentation process. By oxygenating the
yeast rather than the wort, greater consistency of the
final product may be attained with minimal exposure of
the wort to molecular oxygen.

In the method of the invention, yeast is aerated in an aqueous sugar solution prior to the addition of fermentation medium. In the examples below, a diluted liquid adjunct was employed as the fermentable carbon source. By a "diluted liquid adjunct" it is meant a solution of fermentable carbohydrate comprising, but not limited to, dextrose, maltose, and maltotriose. Preferably, it is a dilution of an 85% w/w solution of 77% w/w fermentable carbohydrate comprising 31% w/w dextrose, 36% w/w maltose and 10% w/w maltotriose. However, any aqueous solution containing a simple fermentable sugar or complex mixture of fermentable sugars and non-fermentable carbohydrate derived from the conversion of starch or any other polysaccharide may be used. Other suitable fermentable sugars that may be employed in the practice of the invention include fructose, sucrose, raffinose, trehalose, melibiose, galactose, and lactose depending on the yeast strain used. Preferably, the aqueous sugar solution is substantially free of organic compounds known to be involved in beer staling.

In the examples below, the aqueous sugar solutions used to aerate yeast comprised liquid adjunct at a concentration of about the same as the wort that the yeast will subsequently be added to. It is reasonably expected that sugar concentrations in the range of from

about 2% w/w to about 25% w/w would yield acceptable results. In other words, the aqueous sugar solution and wort solution must be compatible with the osmotolerance of the yeast.

5 The time required to aerate yeast will depend upon the rate at which oxygen or air is delivered into the solution and the yeast's maximum oxygen uptake rate (OUR). When air/oxygen is being delivered at a rate in excess of the yeast's maximum OUR, the amount of aeration
10 is dependent strictly on the yeast's exposure time. After the yeast has aerated sufficiently, nonoxygenated wort having approximately the same specific gravity as the original yeast/sugar solution is added to the yeast or the yeast is added to the wort. Preferably, the
15 delivery of air/oxygen into the yeast/sugar solution should be above the maximum OUR of the yeast.

One of ordinary skill in the art will appreciate that one could also add aerated yeast to aerated wort, which could be expected to further enhance fermentation
20 rates relative to aerated wort pitched with nonaerated yeast and relative to nonaerated wort pitched with aerated yeast.

Following pitching, fermentation is allowed to proceed using standard fermentation conditions and a
25 standard fermentation vessel. Fermentation is completed in a shorter time than conventional fermentation methods,

in which aerated wort is pitched with non-aerated yeast slurry.

In addition to enhancing the fermentation rate, the method of the invention avoids problems associated with
5 aerating the yeast after transfer to wort. Such problems include formation of staling precursors and foaming. The present invention also allows greater flexibility in the brewing process.

Yeast is normally used to inoculate ("pitch") a
10 fermentation medium or wort at a rate in the range of from about 10 million to about 20 million cells/ml wort. Some brewers use about one million cells per ml, per degree Plato (Plato is the w/w % of fermentable carbohydrate). For example, for a 14 degree Plato wort,
15 one would pitch at a rate of 14 million yeast cells/ml. With the present invention, yeast that is used in the fermentation is first suspended in a volume of an aqueous sugar solution that is in the range of from about 5% to about 20% of the volume of the final fermentation.

20 The sugar/yeast solution is adjusted to the desired original gravity (degrees Plato) of wort, but could be used in a concentration of from about 2 to about 25 degrees Plato. In a typical example, if one were fermenting a 14 degrees Plato wort, the sugar/yeast
25 solution would be adjusted to 14 degrees Plato prior to aeration of the sugar/yeast solution. If the gravity of

the sugar solution is different from that of the wort, then the wort must be adjusted accordingly to achieve the desired original gravity for the sugar and wort solutions combined.

5 The addition of zinc to the yeast/sugar solution promotes improved yeast health and performance in the subsequent fermentation. Preferably, the aqueous sugar solution includes zinc in a concentration sufficient to promote yeast health and to protect against or reduce
10 stress to cells under nitrogen starvation conditions. As shown in the examples below, the zinc concentration must be greater than one times the w/v percent normally used in the wort in order to increase the fermentation rate, relative to an aerated yeast preparation containing no
15 added zinc. Zinc salts are preferably added to the sugar solution at a level that is 1-50 times the concentration of what would normally be added to the wort. The optimum for yeast health appears to be around five to ten times the concentration of zinc normally used in the wort,
20 although lower concentrations still confer a protective effect, and higher concentrations do not appear to have any adverse effects.

 We have conducted considerable research to evaluate the effects of the length and rate of aeration, as well
25 as the differential effects of using air vs. pure oxygen in yeast. Typically, the yeast aerated in a sugar

solution for from about 8 hours up to about 21 hours exhibit optimal yeast performance in subsequent fermentations. The optimal aeration time may vary according to the aeration rate or the source of oxygen (e.g., air or pure oxygen), but typically the aeration/oxygenation rate is kept above the maximum OUR of the yeast. When this is done, the time of exposure is the most critical factor.

The pH of the yeast/sugar solution may be adjusted so that it is at least 3.0, preferably greater than 6.0, and most preferably about 7.0. Aeration in a sugar solution having a pH of about 6.0 is correlated with reduced yeast cell death during aeration and enhanced fermentation rates in subsequent fermentation.

Yeast aeration was conducted at normal fermentation temperatures (about 60°F) because it was expected that yeast would use the oxygen supplied to synthesize sterols and unsaturated fatty acids optimally at temperatures near their normal fermentation temperature. However, it is expected that aeration can be conducted at temperatures in the range of from about 32°F to about 80°F, depending on the type of yeast and the type of fermentation.

In the examples below, wort was used as the fermentable medium. However, it is reasonably expected

that other fermentation media would be equally suitable in the practice of the invention.

In the examples below, brewer's lager yeast was employed. Other suitable yeasts include, without
5 limitation, ale yeast, wine yeast, distiller's yeast, baker's yeast, champagne yeast, cider-making yeast, Kluyveromyces yeast, etc.

Following oxygenation, the yeast may be used for pitching. Fermentation is allowed to proceed using
10 standard fermentation conditions. Depending on the brewer's objective, the yeast may be used to pitch aerated or unaerated wort.

If the primary objective is affecting or controlling flavor profiles or to prevent formation of staling
15 precursors, nonaerated wort should be used in the fermentation.

It is envisioned that the method of the invention may be used to obtain high fermentation rates by using aerated yeast to pitch aerated wort. Typically,
20 fermentation may be completed in a shorter time using yeast aerated by the method of the invention than by conventional fermentation methods, in which aerated wort is pitched with non-aerated yeast.

In addition to pitching and fermentation, yeast
25 aerated by the method of the invention may be used in other aspects of the brewing process, including

krauesening, lagering, or any other application in which yeast is generally used.

It is envisioned that the present invention will be particularly useful in the brewing industry. However, it is not intended that the method be limited to wort fermentations. It is reasonably expected that yeast aerated by the method of the invention would also be suitable in other yeast fermentation industries, including the wine and alcohol production industries.

The following nonlimiting examples are intended to be purely illustrative.

EXAMPLES

Yeast aeration

Brewers' lager yeast was aerated in liquid adjunct (17° Plato after the yeast addition) supplemented with 0.25 ppm zinc, which was five times the concentration of zinc supplement normally added to the wort for subsequent fermentations. The yeast concentration was at 10⁸ cells/ml of the final sugar solution. The yeast was aerated at 60°F with an air injection rate of 1.5 standard cubic feet per hour (scfh) for three, seven, fourteen, or twenty-one hours.

Effect of length of yeast aeration on days to end of fermentation (EOF)

Standard fermentations were conducted in nonaerated wort having a gravity of 16° Plato by pitching the wort with yeast aerated for various lengths of time. The pitching rate was 10^7 yeast cells/ml of wort. The specific gravity was monitored over time to determine the number of days to the end of fermentation.

The results are shown in Table 1.

Table 1

Time to End of fermentation (EOF) Using Yeast That Has Been Aerated for Different Lengths of Time

Length of aeration (h)	Days to EOF
3	8.1
7	7.3
14	6.5
21	5.8
Aerated wort control	7.0

The results show that the time to EOF varies inversely to the length of yeast aeration. Fermentations using yeast aerated for seven hours give an EOF comparable to aerated wort pitched with nonaerated yeast. Yeast aerated for longer periods of time reduce the EOF considerably.

Effect of zinc on end of fermentation times

To determine the effect of zinc concentration in aerated yeast on EOF times, yeast was supplemented with

varying concentrations of zinc and aerated for 21 hours as described above. The yeast was used in subsequent fermentations, as described above. The results are shown in Table 2.

5 Table 2

Effect of Zinc Addition on Required Time to End of Fermentation (EOF) Using Yeast Aerated for 21 Hours

	Zinc addition level	Days to end-of-fermentation (EOF)
	None	6.2
10	0.05 mg/l	6.2
	0.25 mg/l	5.4
	0.50 mg/l	5.5
	2.00 mg/l	5.4
15	Aerated wort control (no zinc addition and non-aerated yeast)	6.9

The above results indicate that the addition of greater than 0.05 mg/l zinc (0.05 mg/l is normally added to the wort) to the yeast aeration is required to give an improvement over aerating yeast with no zinc addition.

Effect of oxygen source on aerated yeast

Yeast was aerated using air or oxygen for various lengths of time and at various rates. The yeast was used in subsequent fermentations. The effect of air or oxygen on EOF is shown in Table 3.

Table 3

Yeast Aeration Using Air vs. Oxygen for Various Lengths of Times and Different Injection Rates and the Effect on Time to End of Fermentation (EOF)

5	Gas	Injection rate (SCFH)	Length of aeration (h)	Days to end of fermentation
	Air	1.5	21	5.4
	O ₂	0.32	21	5.8
	O ₂	1.5	2.5	6.9
	O ₂	1.5	4.5*	6.8
10	O ₂	1.5	6.5	6.6
	Aerated wort control	Not applicable	Not applicable	6.1

15 * indicates the time (4.5 hours) at which the yeast oxygenation using O₂ at 1.5 scfh is equivalent (for fermentation effect) to yeast aeration using air at 1.5 scfh over a 21 hour aeration.

The results presented in Table 3 indicate that the length of time of aeration is more critical than the source of oxygen employed or the rate of injection, provided that the injection rate exceeds the yeast's maximum oxygen uptake rate (OUR). Yeast aerated using O₂ at higher rates for a shorter period of time can not replace yeast aerated with air for a longer time because the OUR is at a maximum in both instances, and it is the length of aeration that is important.

Effect of air injection rate on fermentations

The rate of air injection during a 10 hour yeast aeration was varied and its effect on EOF was determined. The results are shown below in Table 4.

Table 4

**The Effect of Various Yeast Aeration Air Injection Rates
on the Time to the End of Fermentation (EOF)**

Injection Rate (SCFH)	Days to End-of-fermentation
1.5	6
3	6
6	5.9
Aerated wort control	6.5

The above results show that doubling and quadrupling the air injection over a 10 hour aeration time did not improve fermentation.

Effect of pH on fermentation time and cell survival

Yeast was aerated with air at 1.5 scfh for 21 hours in the presence of 0.25 mg/l zinc in liquid adjunct in which the pH was adjusted, as shown below in Table 5.

Table 5

Effect of pH Adjustment during Yeast Aeration on Yeast Viability and the Time to End of Fermentation (EOF)

pH	% Dead cells after aeration	Days to End-of-Fermentation
< 4.0	53.7	5.8
5.4	20	4.9
6.9	5.4	4.9
Wort pH	0.4	5.9

The above results show that increasing the pH of the yeast/sugar aeration solution to a pH of greater than 4.0

CLAIMS

WE CLAIM:

1. A method of aerating yeast comprising the steps of:

(a) suspending yeast in a wort-free aqueous solution comprising a fermentable sugar in an amount sufficient to give a gravity in the range of from about 2 to about 25 degrees Plato; and

(b) aerating the suspension for a period of time and under conditions suitable to allow oxygen uptake by the yeast required for sterol and unsaturated fatty acid synthesis.

2. The method of claim 1, wherein zinc is added to the yeast suspension in a concentration effective to promote yeast performance in a fermentation medium.

3. The method of claim 1, wherein the fermentable sugar of step (a) is selected from the group consisting of liquid adjunct, sucrose and fructose.

4. A method of enhancing yeast fermentation comprising the steps of:

(a) suspending yeast in a wort-free aqueous solution comprising a fermentable sugar in an amount

sufficient to give a gravity in the range of from about 2 to about 25 degrees Plato;

(b) aerating the suspension for a period of time and under conditions suitable to allow oxygen uptake by the yeast required for sterol and unsaturated fatty acid synthesis;

(c) transferring the yeast of step (b) to a suitable volume of fermentation medium having a gravity comparable to the gravity of the solution of step (a); and

(d) allowing fermentation to occur under suitable fermentation conditions.

5. The method of claim 4, wherein zinc is added to the yeast suspension in a concentration effective to promote yeast performance in a fermentation medium.

6. The method of claim 4, wherein the fermentable sugar of step (a) is selected from the group consisting of liquid adjunct, sucrose, and fructose.

7. The method of claim 4, wherein the fermentation medium of step (c) is selected from the group consisting of aerated wort and nonaerated wort.

8. A fermented beverage made by the method of claim 4.

9. The fermented beverage of claim 8, wherein the beverage is beer.

10. A fermented food made by using a yeast that has been treated by the method of claim 1.

11. A fermented beverage made by the method of claim 4, wherein the beverage is beer.

Please type a plus sign (+) inside this box

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

0101PFD Rev. 6/95		U.S. Department of Commerce Patent and Trademark Office		Attorney Docket Number 660005.98641	
				First Named Inventor Alfonso Navarro	
				COMPLETE IF KNOWN	
				Application Number	
				Filing Date March 15, 2000	
				Group Art Unit	
				Examiner Name	

**DECLARATION FOR
UTILITY OR DESIGN
PATENT APPLICATION**

Declaration OR Declaration

☒ Submitted ☐ Submitted after

with Initial Filing Initial Filing

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

METHOD OF AERATING YEAST PRIOR TO PITCHING

the specification of which

(Title of the Invention)

☒ is attached hereto

OR

was

was filed on (MM/DD/YY) as United States Application Number or PCT International

Application Number and was amended on (MM/DD/YY) (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56.

hereby claim foreign priority benefits under Title 35, United States Code § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate or § 365(a) of any PCT international application which, designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or any PCT international application having a filing date before that of the application on which priority is claimed

[illegible]

Additional foreign applications numbers are listed on a supplemental priority sheet attached hereto:

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.
n/a		

Burden Hour Statement This form is estimated to take .4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

DECLARATION

Page 2

I hereby claim benefit under Title 35, United States Code §120 of any United States application(s), or §365(C) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application or PCT international application in the manner provided in the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application Number	PCT Parent Number	Parent Filing Date (MM/DD/YY)	Parent Patent Number (if applicable)
n/a			

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority sheet attached hereto.

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and all continuation and divisional applications based thereon, and to transact all business in the Patent and Trademark Office connected therewith:

☐ Firm Name Customer Number or label

☒ List attorney(s) and/or agent(s) name and registration number below

Name	Registration Number	Name	Registration Number
Thomas W. Ehrmann	20,374	Joseph W. Bain	34,290
Barry E. Sammons	25,608	Robert J. Sacco	35,667
J. Rodman Steele	25,931	Jean C. Baker	35,433
Nicholas J. Seay	27,386	David G. Ryser	36,407
George E. Haas	27,642	Bennett J. Berson	37,094
Harvey D. Fried	28,298	Michael A. Jaskolski	37,551
Michael J. McGovern	28,326	Richard T. Roche	38,599
Carl R. Schwartz	29,437	Allen J. Moss	42,518
Gregory A. Nelson	30,577	Scott D. Paul	42,884
Keith M. Baxter	31,233	Daniel G. Radler	43,028
John D. Franzini	31,356	Steven J. Wietrzny	P44,402

☐ Additional attorney(s) and/or agents named on a supplemental priority sheet attached hereto

Please direct all correspondence to ☐ Customer Number or label OR ☒ Fill in correspondence address below

Name	David G. Ryser		
Address	Quarles & Brady LLP		
Address	411 East Wisconsin Avenue		
City	Milwaukee	State	Wisconsin
		Zip	53202-4497
Country	USA	Telephone	414/277-5717
		Fax	414/271-3552

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Name of Sole or First Inventor				A petition has been filed for this unnamed inventor			
Given Name	Alfonso	Middle	n.m.i.	Family	Navarro	Suffix	
Inventor's Signature						Date	
Residence City	Milwaukee	State	WI	Country	USA	Citizenship	Spain
Post Office Address	1129 North Jackson Street, #1413-C						
Post Office Address							
City	Milwaukee	State	WI	Zip	53202	Country	USA
						Address only	

☒ Additional inventors are being named on supplemental sheet(s) attached hereto

Please type a plus sign (+) inside this box ☐

DECLARATION										ADDITIONAL INVENTOR(S) Supplemental Sheet			
Name of Additional Joint Inventor, if any:										A petition has been filed for this unsigned inventor			
Given Name	Jeffrey				Middle Initial	F.	Family Name	Fehring		Suffix	Jr.		
Inventor's Signature										Date			
Residence City	West Bend				State	WI	Country	USA		Citizenship	USA		
Post Office Address	3767 Hickory Lane												
Post Office Address													
City	West Bend				State	WI	Zip	53095		Country	USA		
Name of Additional Joint Inventor, if any:										A petition has been filed for this unsigned inventor			
Given Name	Michael				Middle Initial	C.	Family Name	Barney		Suffix	Jr.		
Inventor's Signature										Date			
Residence City	Elm Grove				State	WI	Country	USA		Citizenship	USA		
Post Office Address	15155 Westover Road												
Post Office Address													
City	Elm Grove				State	WI	Zip	53122		Country	USA		
Name of Additional Joint Inventor, if any:										A petition has been filed for this unsigned inventor			
Given Name	David				Middle Initial	S.	Family Name	Ryder		Suffix	Jr.		
Inventor's Signature										Date			
Residence City	Mequon				State	WI	Country	USA		Citizenship	United Kingdom		
Post Office Address	10727 North Gazebo Hills Parkway												
Post Office Address													
City	Mequon				State	WI	Zip	53092		Country	USA		
Name of Additional Joint Inventor, if any:										A petition has been filed for this unsigned inventor			
Given Name					Middle Initial		Family Name			Suffix	Jr.		
Inventor's Signature										Date			
Residence City					State		Country			Citizenship			
Post Office Address													
Post Office Address													
City					State		Zip			Country			
Additional inventors are being named on supplemental sheet(s) attached hereto.													